

[www.shelter.com.tr](http://www.shelter.com.tr)

The logo consists of a red hard hat icon positioned above the word "SHELTER". The letter "S" is red, while "HELTER" is in black. A registered trademark symbol (®) is located to the right of the word.

**SHELTER**®

Workwear and Occupational Safety Equipments



## Brands have to be alive

Not only with the product that it belongs to! Brands have to come into the community..

They have to be visible, they have to be known.. With the up to date expression, they have to be "social"! They have to be able to touch people's lives.. Sometimes being a cup of hot coffee.. Sometimes being a stylish cap or an elegant t-shirt! They have to bring life to every day of our lifetime.

Yes, brands have to come into life.. Reflecting its characteristics and quality..

Putting forward the intelligence and the creativity of its own.. For years, we have been working to generate solutions to strengthen your brand awareness with this line of vision. We offer hundreds of products. Our aim is to design and produce the products that you just dreamed about for your brand needs.

We are a team, which brings together the quality with your idea. We are up to date. We listen to you and enrich our product groups with new ideas. In every step, we search for the quality and we offer quality.

## From past ...

### Till this date ...

We hit the road by starting the cap production in 1986. In 2000 we expanded our machinery availability.

In 2010, we added work safety equipments to our product range.

We continuously strengthened our substructure. From bump cap to safety vest, we manufacture occupational safety products in high quality standards. We get stronger by taking the necessary steps.

We increase our capacity and we grow day by day.

## Index

Bump Cap "SHELTER".....	4 - 8
Head Protection.....	9
Eye and Face Protection.....	10 - 11
Dust Masks.....	12
Gas Masks.....	13
Ear Protection.....	14
Promotional Caps.....	15
T-shirts.....	16 - 17
Sweat Shirts.....	18
Fleece Jackets.....	19
Jacket & Pants sets.....	20
Work Trousers.....	21
Bib & Brace Overalls.....	22
Overalls.....	23
Vests.....	24
Winter Jackets.....	25
Work Aprons.....	26 - 27
Warning Vests.....	28
Security Wear.....	29
Disposable Products.....	30
Gloves & Work Gloves.....	31 - 32 - 33
Work Shoes.....	34
Boots & Work Boots.....	35
Fall Protection.....	36
Oil & Chemical Absorbents.....	37
Raincoats.....	38
Environment & Road Safety.....	38

## Bump Cap Model 01



### Color Options



Bump cap protects your head from bumping into fixed or moving objects and thus peeling. Our standard product size is 54 - 60 cm. Adjustable and easy to fit. It gives comfort to the user with 10 air ventilation hole by speeding the air stream. Shock absorbing sponge is used to protect the head from bumpings. Materials used in bump caps are not harmful to the health and hygiene of the user. It is compatible with ear, eye, face and respiratory products. Bump caps are not used, where there is an obligation to use industrial helmets for protection against danger of falling objects. Sweat absorbing towel sweat band is standard in both products. This provides confidence and comfort to the user.

#### Care Instructions:

Handwash at 30 C with diluted detergent. It is not recommended to wash with chemical liquid. If a proper cleaning is no more possible, it is recommended to be replaced with a new one.

#### Life Span:

Heavy sunlight, hot & cold environment and false use determines the life span of the product. It has to be replaced, if a significant scratch, crack or a damage is detected.

#### Packing & Storage:

Bump caps are kept in a box, where they are not in contact with sunlight, chemicals & sharp objects.



## Bump Cap Model 2



### Color Options



This bump cap does not protect from effects of falling, bouncing and heavy hanging and moving objects. It must not, under any circumstance replace industrial helmets (regulation EN 397). In order to have efficient protection, this bump cap has to be adjusted according to the wearer's head and be fit properly. Wearer's should be careful for removing and taking out the parts and replacing the originals, other than the producers recommendations. Chemicals such as dye, solvent, adhesive, etc. must not be used for repairing, cleaning, etc. reasons.



## Bump Cap Model 03



SHL 03-02



SHL 03-04



SHL 03-05



SHL 03-06



SHL 03-08



SHL 03-09



DS 001



DS 002



DS 003

In all Shelter 03 models, measurement of the peak is changed to 3cm - 5cm - 8cm

### Color Options



DS 004



## Bump Cap Model 04



SHL 03-01



SHL 03-02



SHL 03-03



SHL 03-04



SHL 03-05



SHL 03-06



SHL 03-07



SHL 03-08



SHL 03-09

Bump cap protects your head from bumping into fixed or moving objects and thus peeling. Our standard product size is 54 - 60 cm. Adjustable and easy to fit. It gives comfort to the user with 10 air ventilation hole by speeding the air stream. Shock absorbing sponge is used to protect the head from bumpings. Materials used in bump caps are not harmful to the health and hygiene of the user. It is compatible with ear, eye, face and respiratory products. Bump caps are not used, where there is an obligation to use industrial helmets for protection against danger of falling objects. Sweat absorbing towel sweat band is standard in both products. This provides confidence and comfort to the user.

#### Care Instructions:


Handwash at 30 C with diluted detergent. It is not recommended to wash with chemical liquid. If a proper cleaning is no more possible, it is recommended to be replaced with a new one.

#### Life Span:

Heavy sunlight, hot & cold environment and false use determines the life span of the product. It has to be replaced, if a significant scratch, crack or a damage is detected.

#### Packing & Storage:

Bump caps are kept in a box, where they are not in contact with sunlight, chemicals & sharp objects.



## Prestij Model

Özel  
Üretim  
100 Yıllık



Reflective Tape

SHL 05

Adjustable rubber  
with adjusting buckle

Shock Absorbing  
Sponge

Sweat Band



Prestige model is visible even at night, by means of reflective tapes around it. It has plastic buckle with rubber string to fix it to the head easily and firmly.

### Care Instructions:

Handwash at 30 C with diluted detergent. It is not recommended to wash with chemical liquid. If a proper cleaning is no more possible, it is recommended to be replaced with a new one.

### Life Span:

Heavy sunlight, hot & cold environment and false use determines the life span of the product. It has to be replaced, if a significant scratch, crack or a damage is detected.

### Packing & Storage:

Bump caps are kept in a box, where they are not in contact with sunlight, chemicals & sharp objects.

## Head Protection

BRT - 06



### Protective Helmet - 1453

ABS Material, 6 point, textile inner layer, screw adjustable headband, special towel sweat band, 40% sweat protection with air ventilation holes, different color options, CE EN 397

BRT - 07



### Protective Helmet - GE 1548

HDPE Material, air ventilation holes, adjustable inner garment, different color options, CE EN 397

BRT - 08



### Protective Helmet - GE 1538

HDPE material, different color options, CE EN 397

BRT - 09



### 5RG

Polyethylene shell, working temperature: - 10 C / + 50 C, 440 volt electric isolation, 6 point plastic inner shell, standard light holder and power cable clips, different color options, EN 397

BRT - 010



### 5R Minero

Polyethylene shell, working temperature: - 10 C / + 50 C, 440 volt electric isolation, 6 point plastic inner shell, standard light holder and power cable clips, different color options, EN 397

BRT - 011



### 5R

High density polyethylene shell, working temperature: - 10 C / + 50 C, 440 V electric isolation, 6 point sliding plastic inner shell, optional air ventilation, different color options, EN 397

BRT - 012



### MK7

High density polyethylene shell, removable visor (is subject to EN 166 1.F standard), with or without air ventilation option inside the helmet, 8 point connected inner shell, rain channel

BRT - 013



### Compact III

ABS shell, visor, neck protection, chin strap, EN 397 - EN 166 1.F

BRT - 014



Light, attachable to the helmet

## Eye Protection

GZK - 015



**Protective Glass 1923**

Sport design, extra coating to protect against scratching and breaking, rigid transparent PC lens, UV filter, antifog, CE EN 166

GZK - 016



**Protective Glass - 1923 YLM**

Sport design, extra coating to protect against scratching and breaking, rigid transparent PC lens, UV filter, antifog, CE EN 166

GZK - 017



**Protective Glass - 1923 SMK**

Sport design, extra coating to protect against scratching and breaking, rigid transparent PC lens, UV filter, antifog, CE EN 166

GZK - 018



**Protective Glass - 1302**

PC lens, antiscratch, antifog, special silicon soft nose piece, 4 move, CE EN 166

GZK - 019



**Protective Glass - 1071 AF**

PC lens, antiscratch, antifog, transparent, light and adjustable eyewear stalks, CE EN 166

GZK - 020



**Protective Glass - 3904**

PC lens, antiscratch, antifog, transparent, 4 move, CE EN 166

GZK - 021



**Protective Glass - A 700**

Antiscratch, wide viewing angle, fog / antifog optional, light, special design, CE EN 166

GZK - 022



**Protective Glass - A 800**

Antiscratch, wide viewing angle, fog / antifog optional, CE EN 166

GZK - 023



**High durability against scratching and hitting**

Smoky color, antifog lenses, adjustable eyewear stalk, CE EN 166

GZK - 024



**Protective Google GIV 1200**

PC transparent lens, antifog, deburring, working in acidic and dusty environment, antiscratch, antifog glass, CE EN 166

GZK - 025



**Protective Google SG90 - B**

PC transparent lens, antifog, deburring, working in acidic and dusty environment, antiscratch, antifog glass, CE EN 166

GZK - 026



**Protective Google V - MAXX**

PC / Acetat optional, antifog optional, IR3 or IR5 for welding, suitable for use with optical glasses and half face masks, special direct ventilation, CE EN 166

## Eye and Face Protection

GZK - 027



**Protective Google 601**

PC / acetate optional, wide viewing angle, antiallergic and flexible head-band, eyebrow protection, antiscratching, antifog, CE EN 166 - 170

GZK - 028



**Protective Google 601**

Anatomical design, wide viewing angle, antiallergic, flexible head-band, eyebrow protection, indirect ventilation, overspecs can be worn, CE EN 166

GZK - 029



**Visor holder attachable to the helmet**

Does not contain metal, high quality ABS material, CE EN 16639BT

GZK - 030



**Head Band - 605**

With sweatband, antiallergic, ergonomic, compatible with 607 visor, CE EN 166

GZK - 031



**Face visor - SI - 1AF**

Antifog, 2 mm PC material

GZK - 032



**Alüminyum Bracket 606**  
CE EN 166

**Protective visor - 607**

Compatible with 605 and 606, transparent, gold plated, SH3/5/11 with or w/o mirror option, CE EN 166 - 170 - 175

GZK - 033



**Mask**

Welding hand mask

GZK - 034



**Protective glass - 529 for welding**

Antiscratch, PC single layer spherical lens, adjustable stalks, CE EN 166 - 175







GZK - 035



**Protective Glass - 540**

2 pcs 50 mm diameter lens fixed PC or folding adiacinic glass lens optional, CE EN 166 - 175

**Welding Glass**  
Dual purpose, anti allergenic, very light frame, flexible head band, 90 degree foldable lenses, sweat protection ventilation holes, EN 166, EN 175 CE



### Dust Masks

Dust masks conform with the EN 149 standards and are CE certified. These modern masks, having breathing ventile, provides comfortable breathing by keeping the air cool inside the mask. Using the dust masks is made comfortable by having equipped with low breathing resistance. It is equipped with adjustable nose clips, sponge and head band. The masks are made from polypropylene material and it provides comfort in use. These masks protect from all kinds of dusts and external factors. Life span: These dust masks are disposable and the packing and storage conditions are specified on the box.



**731 Full Face Mask**  
Silicon / rubber optional, panoramic, antiscratch PC visor. EN 148-1. Compatible with filter EN 136.



**732 Full Face Mask**  
Silicon / rubber optional, panoramic & antiscratch PC visor, dual filter, inner half part is silicon material, EN 136




**Half Face Mask - Spasciani**  
Gives excellent use with protective goggles. Variable parts offer long service life. Has a light and strong structure. CE EN 140:1998



**Half Face Mask - Spasciani Dueatta**

Is used with bayonet filters. Low cost for industrial applications. Easy to use, due to light and strong structure.



**Spasciani Turbine 2 - Full Face Mask Motor Respirator**

Thanks to the motorized unit, which provides uninterrupted air offers a spacious use for long working hours. Used with 2 pieces gas filter or dust filter. Has rechargeable battery. It is a set of full face mask, hose, motorized air filter unit and the charging unit.  
CE EN 12942: 1998 / A1 : 2002 : 2006



**Diablo Rina 1800 - Respirator Set**

Demand valve using positive pressure technology, pressure reducer, manometer, acoustic warning system, incl. full face mask C607/SPA (class 3), incl. compressed air cylinder (6 l, 300 bar) steel operation time approximately 45 min (1800 l breathable air), CE EN 148-3

## Ear Plugs

KLT - 057



**Quiet - Ear Plug**  
Silicon material, washable, with or without string, SNR 28 dB, (H29 M25 L23) EN 352.2

KLT - 058



**SL 2306 - Ear Plug**  
polyurethane SNR 28 dB (H29 M25 L23) EN 352.2 SL 2306 - Ear Plug

KLT - 059



**SL 2306 C - Ear Plug**  
Polyurthane, with string, SNR 28 dB (H29 M25 L23), EN 352.2

KLT - 060



**Smart Fit - Ear Plug**  
Silicon, with string, SNR 30 dB EN 352.2

KLT - 061



**Era Plug Dispenser**  
Wall mountable, ear plugs can be ordered separately.

KLT - 062



**L1 Ear Plug**  
Comes with head band SNR 30 dB (H31 M28 L23) EN 352.1

KLT - 063



**H 540 A - Ear Plug**  
Comes with head band SNR 32 dB (H40 M32 L23) EN 352.1

KLT - 064



**PC 05 FEM - Ear Plug**  
High quality, ABS material, foldable. SNR 32 dB EN 352.1

KLT - 065



**PC 03 SE - Ear Plug**  
Ergonomic design, special system for adjusting up & down, left & right. Mounting parts are made from ABS and do not contain metal, no humming SNR 32 dB EN 352.1

## Promotional Caps

PRŞ - 066



PRŞ - 067



PRŞ - 068



PRŞ - 069



PRŞ - 070



PRŞ - 071



PRŞ - 072



PRŞ - 073



PRŞ - 074





# T-shirts



TST - 075

TST - 076

TST - 077



TST - 078



TST - 079



TST - 080

TST - 081

%20 Polyester %80 Coton  
Color 1 2 3 4 5 6 7 8 9 10

# T-shirts



TST - 082

TST - 083

TST - 084



TST - 085

TST - 086

TST - 087



TST - 088

%20 Polyester %80 Coton  
Color 1 2 3 4 5 6 7 8 9 10

## Sweat-shirts



SWT - 089



SWT - 090



SWT - 091

## Polar Fleeces



PLR - 095



PLR - 096



PLR - 097



SWT - 092



SWT - 093



SWT - 094

%20 Polyester %80 Coton  
 Color 1 2 3 4 5 6 7 8 9 10



PLR - 098



PLR - 099



PLR - 0100

%20 Polyester %80 Coton  
 Color 1 2 3 4 5 6 7 8 9 10

## Jackets and Pants



TKM - 0101



TKM - 0102



TKM - 0103



TKM - 0104

Color 1 2 3 4 5 6 7 8 9 10

## Work Trousers



PNT - 0105



PNT - 0106



PNT - 0107



PNT - 0108



PNT - 0109



PNT - 0110

Color 1 2 3 4 5 6 7 8 9 10

## Bib and Brace Overalls



## Overalls



## Vests



■ YLK - 0121



■ YLK - 0122



■ YLK - 0123



■ YLK - 0124



■ YLK - 0125



■ YLK - 0126



■ YLK - 0127



■ YLK - 0128

## Jackets and Winter Jackets



■ MKB - 0129



■ MKB - 0130



■ MKB - 0131



■ MKB - 0132



■ MKB - 0133



■ MKB - 0134

## Aprons



## Aprons



## Reflective Vests



■ İKZ - 0143

### Reflective Vests

100% polyester, double & single reflective band, shoulder band, chest band etc. models. Velcro adjustable closure. On front and at the back, there is possibility to have text made from 5 cm wide reflective band. Class 2.2, EN 471



■ İKZ - 0144

■ İKZ - 0145

Özel üretim



■ İKZ - 0146

■ İKZ - 0147

■ İKZ - 0148



■ KBN - 0149



■ KBN - 0150



■ KBN - 0151

## Security Wear



■ GVN - 0152

■ GVN - 0153



■ GVN - 0154



■ GVN - 0155



■ GVN - 0156



■ GVN - 0157



■ GVN - 0158



■ GVN - 0159



■ GVN - 0160

■ GVN - 0161

# Disposable Products



TKT - 0162



TKT - 0163



TKT - 0164



TKT - 0165



TKT - 0166



TKT - 0167

# Hand Protection

**MaxiFlex 874 - Protective Gloves**  
Breathable, Automotive & installation, construction, white appliances, furniture, etc. handlings. EN 388 (4141)



ELD - 0168

**MaxiFlex 34-844- Protective Gloves**  
Breathable, Automotive & installation, construction, white appliances, furniture, etc. handlings. EN 388 (4141)



ELD - 0169

**MaxiFlex 34 - 845- Protective Gloves**  
Breathable, Automotive & installation, construction, white appliances, furniture, etc. handlings. EN 388 (4141)



ELD - 0170

**MaxiFlex 34-847- Protective Gloves**  
Breathable, Automotive & installation, construction, white appliances, furniture, etc. handlings. EN 388 (4141)



ELD - 0171

**MaxiFlex 34-847- Protective Gloves**  
Breathable, Automotive, electronic, cosmetics, critical montage handlings etc. EN 388 (3131)



ELD - 0172

**MaxiFlex 34-924- Protective Gloves**  
Breathable, Automotive, electronic, cosmetics, critical montage handlings etc. EN 388 (3131)



ELD - 0173

**MaxiFlex 34-925 Protective Gloves**  
Breathable, Suitable for automotive, critical montage handlings. EN 388 (3121)



ELD - 0174

**MaxiDry 56-424 Protective Gloves**  
Increased resistance against oily environment, antislip technology. For engineering, metal & mining and many other general purpose. EN 388 (4121)



ELD - 0175

**MaxiDry 56-424 Protective Gloves**  
Increased resistance against oily environment, antislip technology. For engineering, metal & mining and many other general purpose. EN 388 (4121)



ELD - 0176

**MaxiDry 56-630 Protective Gloves**  
Increased resistance against oily environment, antislip technology. For engineering, metal & mining and many other general purpose. EN 388 (4121)



ELD - 0177

**MaxiCut 34-451 Protective Gloves**  
Breathable, cut resistance 3, suitable for areas in low cutting risk such as glass, metal, ceramic, etc. EN 388 (4331)



ELD - 0178

**MaxiCut 34-420 Protective Gloves**  
Breathable, cut resistance 3, suitable for areas in low cutting risk such as glass, metal, ceramic, etc. EN 388 (4331)



ELD - 0179



## Hand Protection



**MaxiCut 34-421 Protective Gloves**  
Breathable, cut resistance 3, suitable for areas in low cutting risk such as glass, ceramic, metal, etc. EN 388 (4331)



**Atg MaxiFoam 34-900 Protective Gloves**  
Nitril foam coating over seamless nylon lining. Designed for general purpose such as working in oily and dirty environment.



**MaxiFoam 34-800 Protective Gloves**  
Automotive, white appliances, mining and other general working conditions. EN 388 (4131)



**MaxiFoam 34-700 Protective Gloves**  
Automotive, white appliances, mining and other general working conditions. EN 388 (4131)



**MaxiLite 34-953 Protective Gloves**  
White coating on lining, light grey, designed for work in oily and dirty areas for general purpose. Automotive, automotive supply industry, maintenance and general work. EN 388 (4121)



**MaxiTherm 30-202 Protective Gloves**  
Design for works in cold conditions in wet and dry environment  
Construction, woodwork, garbage cleaning, engineering, etc. EN 388 (1241) | EN 511 (X1X) | EN 407



**NovaTril 34 - 196 Protective Gloves**  
Fully coated, designed for petrochemical industry, construction industry, plastic industry, wood industry, etc. EN 388 (4221)



**NovaTril 34 - 195 Protective Gloves**  
Fully coated, designed for petrochemical industry, construction industry, plastic industry, wood industry, etc. EN 388 (4221)



**NovaTril 34 - 195 Protective Gloves**  
Fully coated, designed for petrochemical industry, construction industry, plastic industry, wood industry, etc. EN 388 (4221)



**Grip 34-485 Protective Gloves**  
Fingers coated. Ideal for glass, construction industry and many kinds of purposes. EN 388 (3342)



**MaxiGrip 34-2010 Protective Gloves**  
Ideal for engineering, mining and many kinds of purposes. EN 388 (2141)



**7K TK Protective Gloves**  
For use of heavy works. Palms reinforced, made from thick cowhide, length: 28 cm  
EN 388 (4132) Cat.II

## Hand Protection



**Elpic 9 Protective Gloves**  
Work gloves with foam lining for cold environments, length: 28 cm EN 388 (41,2 Cat.II)



**Fireproof Gloves 001**



**Fireproof Gloves 002**



**Elpic Driver Protective Gloves**  
Yellow and white lining driver gloves, length: 25 cm EN 388 (2122) Cat.II



**Polka Protective Gloves**  
Natural rubber coated seamless nylon liner Latex work gloves. EN 388 Cat.I



**Grey Protective Gloves**  
Nitrile coated seamless white nylon lining work gloves EN 388 Cat.I



**Protex Semi Coated Protective Gloves**  
Yellow Nitrile coated seamless cotton lining work glove. Ideal for general purpose use. EN 388 (3111) Cat.II



**Protex Full Coated Protective Gloves**  
Yellow Nitrile coated seamless cotton lining work glove. Ideal for general purpose use. EN 388 (3111) Cat.II



**Petroil 404 Protective Gloves**  
Nitrile coated work gloves with safety stocking EN 388 (422) Cat.II



**Petroil 403 Protective Gloves**  
Nitrile coated work gloves with safety stocking, semi coated. EN 388 (4322) Cat.II



**Sheer Plus Protective Gloves**  
Fabric lining reinforced, chemical neoprene gloves. Resistant to acids and high vibration. EN 374-2 | EN 374-3



**PVC 45 Protective Gloves**  
Fabric lining reinforced, PVC coated, chemical work gloves. EN 388 (1010) Cat.III | EN 374-2 | EN 374-3

## Foot Protection

■ AYK - 0204



ATSM 1016 SRC S2-S3

■ AYK - 0205



EL 160 S2-S3

■ AYK - 0206



EL 150 S1-S1P

■ AYK - 0207



EL 190 S1-S1P

■ AYK - 0208



EL 190 S1-S1P

■ AYK - 0209



UI220 S1-S1P

■ AYK - 0210



EL 190 S1-S1P

■ AYK - 0211



EL 190 S1-S1P

■ AYK - 0212



UI220 S1-S1P

■ AYK - 0213



GPP 05

■ AYK - 0214



UI230 S1-S1P

■ AYK - 0215



GGP05 S1-S1P

## Foot Protection

■ AYK - 0216



GGP05 S1-S1P

■ AYK - 0217



EI200 S1-S1P

■ AYK - 0218



YALTA F514 S1

■ AYK - 0219



TIRAN F500 S1

■ AYK - 0220



LIMA F505 A

■ AYK - 0221



**GTE 02L  
GTX WRU 02**  
Shoe vamp: High breathability leather, reinforced stockings, Lining: waterproof, breathing, GORETEX lining  
Sole: double intensity PU base  
Sizes: 36 - 48

■ AYK - 0222



LIMA F505 GA

■ AYK - 0223



TIRAN F500 S2

■ AYK - 0224



**GTE 02L  
GTX WRU 02**  
Shoe vamp: High breathability leather, reinforced stockings, Lining: waterproof, breathing, GORETEX lining  
Sole: double intensity PU base  
Sizes: 36 - 48

■ AYK - 0225



DERBY CREPE BOOT

■ AYK - 0226



GEZER BOOT

■ AYK - 0226



**Fosgard Toe Protector**

It is used to wear over a toe protected shoe to double the safety of toe where and when necessary.

■ AYK - 0227



TIRAN F500 S2

## Fall Protection

■ YKE - 0228



Rope Break System

■ YKE - 0229



MightEvac  
Fall Protector M 165

■ YKE - 0230



MILLER FALCON  
FALL PROTECTORS

■ YKE - 0231



Karabina

■ YKE - 0232



■ YKE - 0234



Rope



25 / 27 C

■ YKE - 0235



27 C

■ YKE - 0236



25 / C

■ YKE - 0237



NAVAHO BOD : C71000

■ YKE - 0238

NAVAHO SIT : C79000 1,2

■ YKE - 0239

## Oil and Chemical Absorbents



■ YKE - 0240

### Chemical Absorbent Bag

- Absorbs all liquid chemicals and water
- 45x45 cm and 23x23 cm alternatives
- 20 pcs/pack - 7 pcs/pack
- 34 lt/pack | 28 lt/pack suction capacity



■ YKE - 0241

### Oil Absorbent bag

- Absorbs all liquid and hydrocarbons
- Does not absorb water. Water resistant.
- 45x45 cm and 23x23 cm alternatives
- 10 pcs/pack - 20 pcs/pack
- 26 lt/pack | 13 lt/pack suction capacity



■ YKE - 0242

### Oil Absorbent Towel

- Absorbs all liquid oil and hydrocarbons
- Does not absorb water. Water resistant



■ YKE - 0243

### Barrel Cap

- Oil and chemical absorbing types
- 56 cm diameter
- 25 pcs/pack
- 22 lt/ pack suction capacity



■ YKE - 0244

### Oil Absorbing Roll

- 38cm x 46mt dimensions
- 96 lt suction capacity



■ YKE - 0245

### Folded Oil Absorbing Roll

- Absorbs all liquid and hydrocarbons
- Does not absorb water. Water resistant
- 12 cm folded / 48 cm open top
- 15 mt length
- 18 lt/pack suction capacity



■ YKE - 0246

### Chemical Absorbing Pad

- Absorbs all liquid chemicals and water
- 40x50 cm/pad
- 100 pcs/pack
- 75 lt/pack chemical, 60 lt/pack water suction capacity



■ YKE - 0248

### Oil Spill Kit

- Oil and its derivatives absorbing sausage, pad and bags
- 240 lt capacity wheeled trolley
- Includes googles, mask, gloves, safety tape and waste bag
- 150 lt suction capacity



■ YKE - 0249

### Chemical Spill Kit

- Absorbs all liquid chemicals and water
- 240 lt capacity wheeled trolley
- Includes googles, mask, gloves, safety tape and waste bag
- 150 lt suction capacity



YÇG - 0250



YÇG - 0251



YÇG - 0252



YÇG - 0253



YÇG - 0256



YÇG - 0258



YÇG - 0254



YÇG - 0255



YÇG - 0257



YÇG - 0259

## Certificate

### of EC type examination No. EC/S/1806/2011

**Product:** INDUSTRIAL RUMP CAP

**Type (variation):** SHELTER

**Name and address of the manufacturer/authorized representative:**  
DISI Promosyon Tekstil Sanayi ve Ticaret Limited Şirketi  
Halkınbay Mahallesi Kavaklı Cad. Karadere Sokak No:20/A 34768 Ümraniye / İstanbul / TÜRKİYE

**Name and address of the manufacturer/producer of origin:**  
DISI Promosyon Tekstil Sanayi ve Ticaret Limited Şirketi  
Halkınbay Mahallesi Kavaklı Cad. Karadere Sokak No:20/A 34768 Ümraniye / İstanbul / TÜRKİYE

**Product meets the basic safety and health requirements of the Directive 89/686/EEC / the ordinance of the Ministry of Economy of 21st December 2003 concerning basic requirements for personal protective equipment (No. U. No 219, item 2173)**

**Period of validity:** 03.11.2011 – 02.11.2016

**Signed Director**  
For Management Systems and Certification  
*[Signature]*  
Duygu Polatkan P. O.

**Harmon. J. November 2011**

**Notified Body No. 1437**

**CIOP PIB**

Certification Institute of Turkey, Ministry of Economy  
Kavaklı Mahallesi Kavaklı Cad. Karadere Sokak No:20/A 34768 Ümraniye / İstanbul

## T.C. TÜRK PATENT ENSTİTÜSÜ

### MARKA TESCİL BELGESİ

Marka No : 2011 83324 - Tıynet

## SHELTER

**Marka Sahibi :** DISI PROMOSYON TEKSTİL SANAYİ VE TİCARET LİMİTED ŞİRKETİ  
TÜRKİYE, ÜMRANİYE, HALKINBAY MAHALLESİ, KAVAKLI CAD. KARADERE SOK. NO:20/A Halkınbay Ümraniye - İSTANBUL

**Emtialar :** 09 Kumaşlar, giyimler, kumaş ve çok katmanlı tekstil ürünleri, giyimler, giyim aksesuarları, baskılar ve baskılar, baskılar, parçaları ve aksesuarları.

**Markaların Korunması Hakkında 556 Sayılı Kanun Hükmünde Kararnameye göre 20/10/2011 tarihinden itibaren ON YIL süreyle 21/01/2013 tarihinde tescil edilmiştir.**

**EM B. AKIN,**  
Eğilim Başkanı,  
Markalar Dairesi Başkanı

**TÜRK PATENT ENSTİTÜSÜ**

## CERTIFICATE

### ISO 9001:2008

DEKRA Certification GmbH hereby certifies that the company  
**DISI PROMOSYON TEKSTİL SAN. VE TİC. LTD. ŞTİ.**

**Scope of certification:**  
Design and production of textile products, hats and protective head caps.

**Certified location:**  
Halkınbay Mah. Kavaklı Cad. Karadere Sok. No:20/A TR 34768 Ümraniye - İSTANBUL.

**Has implemented and maintains a quality management system according to the above mentioned standard. The conformity was achieved with audit report no. TR1108023.**

**This certificate is valid from 03-11-2011 to 02-11-2014** Certificate registration no.: 21111904

*[Signature]* DEKRA  
DEKRA Certification GmbH  
Burgstr. 10, D-42699 Solingen

IAP  
DQS-024-20-06-01-03

DEKRA Certification GmbH - Industriestraße 10 | D-42699 Solingen | www.dekra.com

### TÜRKİYE ODALAR VE BORSALAR BİRLİĞİ

#### KAPASİTE RAPORU

BİLGİLENDİRME KURUMU

Geçerlilik Süresi Sonu: 26.01.2012

Form No	Form Adı	Form No	Form Adı
Form No: 001	Form Adı: KAPASİTE RAPORU	Form No: 002	Form Adı: KAPASİTE RAPORU
Form No: 003	Form Adı: KAPASİTE RAPORU	Form No: 004	Form Adı: KAPASİTE RAPORU
Form No: 005	Form Adı: KAPASİTE RAPORU	Form No: 006	Form Adı: KAPASİTE RAPORU
Form No: 007	Form Adı: KAPASİTE RAPORU	Form No: 008	Form Adı: KAPASİTE RAPORU
Form No: 009	Form Adı: KAPASİTE RAPORU	Form No: 010	Form Adı: KAPASİTE RAPORU
Form No: 011	Form Adı: KAPASİTE RAPORU	Form No: 012	Form Adı: KAPASİTE RAPORU
Form No: 013	Form Adı: KAPASİTE RAPORU	Form No: 014	Form Adı: KAPASİTE RAPORU
Form No: 015	Form Adı: KAPASİTE RAPORU	Form No: 016	Form Adı: KAPASİTE RAPORU
Form No: 017	Form Adı: KAPASİTE RAPORU	Form No: 018	Form Adı: KAPASİTE RAPORU
Form No: 019	Form Adı: KAPASİTE RAPORU	Form No: 020	Form Adı: KAPASİTE RAPORU
Form No: 021	Form Adı: KAPASİTE RAPORU	Form No: 022	Form Adı: KAPASİTE RAPORU
Form No: 023	Form Adı: KAPASİTE RAPORU	Form No: 024	Form Adı: KAPASİTE RAPORU
Form No: 025	Form Adı: KAPASİTE RAPORU	Form No: 026	Form Adı: KAPASİTE RAPORU
Form No: 027	Form Adı: KAPASİTE RAPORU	Form No: 028	Form Adı: KAPASİTE RAPORU
Form No: 029	Form Adı: KAPASİTE RAPORU	Form No: 030	Form Adı: KAPASİTE RAPORU
Form No: 031	Form Adı: KAPASİTE RAPORU	Form No: 032	Form Adı: KAPASİTE RAPORU
Form No: 033	Form Adı: KAPASİTE RAPORU	Form No: 034	Form Adı: KAPASİTE RAPORU
Form No: 035	Form Adı: KAPASİTE RAPORU	Form No: 036	Form Adı: KAPASİTE RAPORU
Form No: 037	Form Adı: KAPASİTE RAPORU	Form No: 038	Form Adı: KAPASİTE RAPORU
Form No: 039	Form Adı: KAPASİTE RAPORU	Form No: 040	Form Adı: KAPASİTE RAPORU
Form No: 041	Form Adı: KAPASİTE RAPORU	Form No: 042	Form Adı: KAPASİTE RAPORU
Form No: 043	Form Adı: KAPASİTE RAPORU	Form No: 044	Form Adı: KAPASİTE RAPORU
Form No: 045	Form Adı: KAPASİTE RAPORU	Form No: 046	Form Adı: KAPASİTE RAPORU
Form No: 047	Form Adı: KAPASİTE RAPORU	Form No: 048	Form Adı: KAPASİTE RAPORU
Form No: 049	Form Adı: KAPASİTE RAPORU	Form No: 050	Form Adı: KAPASİTE RAPORU
Form No: 051	Form Adı: KAPASİTE RAPORU	Form No: 052	Form Adı: KAPASİTE RAPORU
Form No: 053	Form Adı: KAPASİTE RAPORU	Form No: 054	Form Adı: KAPASİTE RAPORU
Form No: 055	Form Adı: KAPASİTE RAPORU	Form No: 056	Form Adı: KAPASİTE RAPORU
Form No: 057	Form Adı: KAPASİTE RAPORU	Form No: 058	Form Adı: KAPASİTE RAPORU
Form No: 059	Form Adı: KAPASİTE RAPORU	Form No: 060	Form Adı: KAPASİTE RAPORU
Form No: 061	Form Adı: KAPASİTE RAPORU	Form No: 062	Form Adı: KAPASİTE RAPORU
Form No: 063	Form Adı: KAPASİTE RAPORU	Form No: 064	Form Adı: KAPASİTE RAPORU
Form No: 065	Form Adı: KAPASİTE RAPORU	Form No: 066	Form Adı: KAPASİTE RAPORU
Form No: 067	Form Adı: KAPASİTE RAPORU	Form No: 068	Form Adı: KAPASİTE RAPORU
Form No: 069	Form Adı: KAPASİTE RAPORU	Form No: 070	Form Adı: KAPASİTE RAPORU
Form No: 071	Form Adı: KAPASİTE RAPORU	Form No: 072	Form Adı: KAPASİTE RAPORU
Form No: 073	Form Adı: KAPASİTE RAPORU	Form No: 074	Form Adı: KAPASİTE RAPORU
Form No: 075	Form Adı: KAPASİTE RAPORU	Form No: 076	Form Adı: KAPASİTE RAPORU
Form No: 077	Form Adı: KAPASİTE RAPORU	Form No: 078	Form Adı: KAPASİTE RAPORU
Form No: 079	Form Adı: KAPASİTE RAPORU	Form No: 080	Form Adı: KAPASİTE RAPORU
Form No: 081	Form Adı: KAPASİTE RAPORU	Form No: 082	Form Adı: KAPASİTE RAPORU
Form No: 083	Form Adı: KAPASİTE RAPORU	Form No: 084	Form Adı: KAPASİTE RAPORU
Form No: 085	Form Adı: KAPASİTE RAPORU	Form No: 086	Form Adı: KAPASİTE RAPORU
Form No: 087	Form Adı: KAPASİTE RAPORU	Form No: 088	Form Adı: KAPASİTE RAPORU
Form No: 089	Form Adı: KAPASİTE RAPORU	Form No: 090	Form Adı: KAPASİTE RAPORU
Form No: 091	Form Adı: KAPASİTE RAPORU	Form No: 092	Form Adı: KAPASİTE RAPORU
Form No: 093	Form Adı: KAPASİTE RAPORU	Form No: 094	Form Adı: KAPASİTE RAPORU
Form No: 095	Form Adı: KAPASİTE RAPORU	Form No: 096	Form Adı: KAPASİTE RAPORU
Form No: 097	Form Adı: KAPASİTE RAPORU	Form No: 098	Form Adı: KAPASİTE RAPORU
Form No: 099	Form Adı: KAPASİTE RAPORU	Form No: 100	Form Adı: KAPASİTE RAPORU



Ferah Mahallesi Ferah Yolu Sokak No: 6/3 Üsküdar / İstanbul  
Tel: +90 216 308 44 32 - Fax: +90 216 308 94 59  
info@disitekstil.com  
info@shelter.com.tr  
www.shelter.com.tr